

Offshore generators



Offshore power generator specifications

Our diesel driven offshore generators are manufactured by Caterpillar and are housed in a custom designed offshore rental package comprising of a canopied generator in a DNV 2.7-1 certified lifting frame. The package has been designed to provide flexibility for all types of end user operation. The equipment packages are classified for use in non-hazardous zone.

The key safety features outlined within the XQ power modules are: air shut off, spark arrestor, emergency stop, stainless steel braided fuel lines, anti-static drive belts and 'Yellow Alert' rig ESD. Our offshore equipment range also includes transformers, fuel tanks and NORSOK generators.



Offshore generators

Technical information

Model		XQ250 Offshore	XQ500 Offshore	XQ1250 Norsok	XQ1700 Norsok
Frequency	Hz	50 60	50 60	50 60	50 60
Prime power	V	400/230 480/277	400/230 480/277	400/230 480/277	400/230 480/277
Power Capacity ¹	kVA	250 250	500 500	1000 1137	1500 1700
	kW	200 200	400 400	800 910	1200 1360
Output ²	A	360 305	722 605	1445 1369	2167 2047
Breaker 4P	A	400	800	1600	2500
Fuel tank	L	1200	1250	1190	1650
Fuel consumption ³	L/hr	35.2/42.1 41.5/48.9	72.6/91.2 81.3/89.6	162/175 198/210	236/258 269/297
Running time	hr	34 29	17 15	7 6	7 6
Dimensions [LxWxH] ⁷	mm	4600x1800x2616	5650x2200x2966	6058x2438x2590	6058x2438x2896
Weight ⁴ without fuel	kg	6210	8875	18140	22500
Weight ⁴ with fuel	kg	7410	9683	19152	24000
Sound level ⁵	dBA ³	66.9 68.9	66.8 68.8	73.9 76.8	85
Remote Monitoring	-	Yes	Yes	Yes	Yes

Details are given for guidance only. Exact equipment may vary according to geographical location and availability.

1. Performance data quoted in accordance with ISO 8528-1
2. Amps 50Hz at 400V, 60Hz at 480V
3. Fuel consumption measured at 75% load. Fuel density is 850 G/L
4. Includes oil and coolant, excludes slings. (including offshore frame on XQ250 and XQ500)
5. Sound levels given at 75% prime power load 50 Hz at 7m, Sound data 60 hz is estimated 2 dBA more then 50 hz based on bare engine data.



**We're here
to help**

